AUTHOR INDEX

A

Abd El-Bary TH. Neurosurgical management of the frontal sinus, 80-rc
Abd El-Bary TH, Dujovny M, Ausman JI. Microsurgical anatomy of the atlantal part of the vertebral artery, 392
Abe H
  See Kato T
  See Mabuchi S
Akano Y. *See* Sunada I
Albright AL. *See* Horowitz M
Alexander E Jr
  Historical vignette, 288
  A tribute to Harry M. Zimmerman, 405
Al-Mefty O. Should meningiomas involving the cavernous sinus be totally resected?, 10-com
Alp MS
  Essentials of Neurosurgery: A Guide to Clinical Practice, 502-br
  Periventricular lucency on computed tomography associated with hydrocephalus: what is the cause?, 285-rc
Angelopoulos M, Gupta SR, Kia BA. Primary intraventricular hemorrhage in adults: clinical features, risk factors, and outcome, 433
Arai Y. *See* Kabuto M
Arulampalam T. *See* Tacconi L
Asai A. *See* Nagane M
Ausman JI
  All the news that's fit to print?, 189-ed
  Anastomosis of occipital artery to posterior cerebral artery with interposition of superficial temporal artery using occipital interhemispheric transtentorial approach: case report, 249-com
  Editor's note, 91, 107, 371, 405, 510, 534
  The future: is it cost-effective?, 592-en
  In this issue, 1-ed, 105-ed, 201-ed, 307-ed, 413-ed, 509-ed
  Is "conservative" really the opposite of "surgical"?, 287-ed
  Middle cerebral artery endarterectomy: experience with two cases, 355-com
  New from the WFNS education committee, 406
  Not all of us are saints, 499-ed
  See Abd El-Bary TH
  Skull Base Surgery: Anatomy, Diagnosis, and Treatment, 98-br
  Successful removal of large pineal region meningiomas: two case reports, 566-com
  Who is going to find out?, 403
Ausman RK. Informed consent, 495
Aylol S. *See* Çeviker N

B

Babu R, Barton A, Kasoff SS. Resection of olfactory groove meningiomas: technical note revisited, 567-cd
Barr AN. *Disorders of Voluntary Muscle (6th Edition),* 501-br
Barton A. *See* Babu R
Bashir R. *See* Patil A-A
Bauer BL, Hellwig D. Evaluation of endoscopy in the treatment of rare meningoceles: preliminary results, 317-com
Baykaner K. *See* Çeviker N
Becker DP. Hot flushes in men with pituitary adenoma, 18-com
Benvenuti D. *See* Maiuri F
Besser M. Progress in the management of patients with aneurysmal subarachnoid hemorrhage: a single hospital review for 20 years. Parts I and II, 533-com
Betti OO. Radiosurgery patterns of practice, 420-com
Booth RA. *See* McBride DQ
Brem S. Experimental study of intraoperative local chemotherapy with fibrin glue containing nitrosourea for malignant gliomas, 157-com
Bricolo A
  Resection of olfactory groove meningiomas: technical note revisited, 571-com
  See Nicolato A
Brown WE Jr. *See* Story JL
Bruce J, Stein B. Nonresective treatment of pineoblastoma: a case report, 390-com
Brunori A, Bruni P, Delitala A, Chiappetta F. Acromegaly and pituitary tumors: early anatomoclinical observations, 83
Buchthal S. *See* McBride DQ
Bumbaširević L. *See* Marinković S

C

Calatayud Maldonado VD. Intraradicular and intradural lumbar disc herniation: experiences with nine cases. (Presented at the Scandinavian Congress of Neurosurgery, "Uppsala, Sweden, June 9–12, 1993), 543-com
Caplan LR. The anatomical basis for the cerebellar infarcts, 460-com
Carey ME
  Management of intracranial hemorrhage associated with anticoagulant therapy, 443-com
  Migration of bullet in the spinal canal: a case report, 550-com
  Sella turcica fractures in a trauma series and their clinical significance, 30-com
Castel JP. How to treat incidental cerebral aneurysms: a review of 139 consecutive cases, 121-com
Ceddia A. *See* D'Angelo V
Çetinalp E. *See* İldan F
Çeviker N, Baykaner K, Keskil S, Işik S, Tokyay M, Kaymaz M, Aylol S. Sella turcica fractures in a trauma series and their clinical significance, 28
Chang HS. Cervical central cord syndrome involving the spinal trigeminal nucleus: a case report, 236-cd
Chang L. *See* McBride DQ
Chavis TD. *See* Standard SC

0090-3019/95/$15.00

© 1995 by Elsevier Science Inc.
655 Avenue of the Americas, New York, NY 10010

AUTHOR INDEX

A

Abd El-Bary TH. Neurosurgical management of the frontal sinus, 80-rc
Abd El-Bary TH, Dujovny M, Ausman JI. Microsurgical anatomy of the atlantal part of the vertebral artery, 392
Abe H
  See Kato T
  See Mabuchi S
Akano Y. *See* Sunada I
Albright AL. *See* Horowitz M
Alexander E Jr
  Historical vignette, 288
  A tribute to Harry M. Zimmerman, 405
Al-Mefty O. Should meningiomas involving the cavernous sinus be totally resected?, 10-com
Alp MS
  Essentials of Neurosurgery: A Guide to Clinical Practice, 502-br
  Periventricular lucency on computed tomography associated with hydrocephalus: what is the cause?, 285-rc
Angelopoulos M, Gupta SR, Kia BA. Primary intraventricular hemorrhage in adults: clinical features, risk factors, and outcome, 433
Arai Y. *See* Kabuto M
Arulampalam T. *See* Tacconi L
Asai A. *See* Nagane M
Ausman JI
  All the news that's fit to print?, 189-ed
  Anastomosis of occipital artery to posterior cerebral artery with interposition of superficial temporal artery using occipital interhemispheric transtentorial approach: case report, 249-com
  Editor's note, 91, 107, 371, 405, 510, 534
  The future: is it cost-effective?, 592-en
  In this issue, 1-ed, 105-ed, 201-ed, 307-ed, 413-ed, 509-ed
  Is "conservative" really the opposite of "surgical"?, 287-ed
  Middle cerebral artery endarterectomy: experience with two cases, 355-com
  New from the WFNS education committee, 406
  Not all of us are saints, 499-ed
  See Abd El-Bary TH
  Skull Base Surgery: Anatomy, Diagnosis, and Treatment, 98-br
  Successful removal of large pineal region meningiomas: two case reports, 566-com
  Who is going to find out?, 403
Ausman RK. Informed consent, 495
Aylol S. *See* Çeviker N

B

Babu R, Barton A, Kasoff SS. Resection of olfactory groove meningiomas: technical note revisited, 567-cd
Barr AN. *Disorders of Voluntary Muscle (6th Edition),* 501-br
Barton A. *See* Babu R
Bashir R. *See* Patil A-A
Bauer BL, Hellwig D. Evaluation of endoscopy in the treatment of rare meningoceles: preliminary results, 317-com
Baykaner K. *See* Çeviker N
Becker DP. Hot flushes in men with pituitary adenoma, 18-com
Benvenuti D. *See* Maiuri F
Besser M. Progress in the management of patients with aneurysmal subarachnoid hemorrhage: a single hospital review for 20 years. Parts I and II, 533-com
Betti OO. Radiosurgery patterns of practice, 420-com
Booth RA. *See* McBride DQ
Brem S. Experimental study of intraoperative local chemotherapy with fibrin glue containing nitrosourea for malignant gliomas, 157-com
Bricolo A
  Resection of olfactory groove meningiomas: technical note revisited, 571-com
  See Nicolato A
Brown WE Jr. *See* Story JL
Bruce J, Stein B. Nonresective treatment of pineoblastoma: a case report, 390-com
Brunori A, Bruni P, Delitala A, Chiappetta F. Acromegaly and pituitary tumors: early anatomoclinical observations, 83
Buchthal S. *See* McBride DQ
Bumbaširević L. *See* Marinković S

C

Calatayud Maldonado VD. Intraradicular and intradural lumbar disc herniation: experiences with nine cases. (Presented at the Scandinavian Congress of Neurosurgery, "Uppsala, Sweden, June 9–12, 1993), 543-com
Caplan LR. The anatomical basis for the cerebellar infarcts, 460-com
Carey ME
  Management of intracranial hemorrhage associated with anticoagulant therapy, 443-com
  Migration of bullet in the spinal canal: a case report, 550-com
  Sella turcica fractures in a trauma series and their clinical significance, 30-com
Castel JP. How to treat incidental cerebral aneurysms: a review of 139 consecutive cases, 121-com
Ceddia A. *See* D'Angelo V
Çetinalp E. *See* İldan F
Çeviker N, Baykaner K, Keskil S, Işik S, Tokyay M, Kaymaz M, Aylol S. Sella turcica fractures in a trauma series and their clinical significance, 28
Chang HS. Cervical central cord syndrome involving the spinal trigeminal nucleus: a case report, 236-cd
Chang L. *See* McBride DQ
Chavis TD. *See* Standard SC

0090-3019/95/$15.00

© 1995 by Elsevier Science Inc.
655 Avenue of the Americas, New York, NY 10010

Chiang F. *See* McBride DQ
Cho E-S. *See* Gropper MR
Choi KS
The juxtacondylar approach to the jugular foramen (without petrous bone drilling), 284-com
See Kim DG
Cleland TP. *See* Story JL
Çobanoğlu S, İmer M, Özyilmaz F, Memiş M. Complication of epidural fat graft in lumbar spine disc surgery: case report, 479-cd
Cohadon F. *See* Loiseau H
Cohen AR. Evaluation of endoscopy in the treatment of rare meningoceles: preliminary results, 317-com
Cole HO. Intraradicular and intradural lumbar disc herniation: experiences with nine cases. (Presented at the Scandinavian Congress of Neurosurgery, "Uppsala, Sweden, June 9–12, 1993), 543-com
Constantinovici A. Neurosurgery in 50 years, 514

D

D'Angelo V, Fiumara E, Gorgoglione L, Florio F, Ceddia A. Surgical treatment of a cerebral mycotic aneurysm using the stereo-angiographic localizer, 263-cd
Danoff D
Intracranial meningeal melanocytoma: case report, 561-cd
Resection of olfactory groove meningiomas: technical note revisited, 572-com
Subgaleal preservation of calvarial flaps, 183-com
Dartigues J-F. *See* Loiseau H
Debrun GM
Angiographic workup of a carotid cavernous sinus fistula (CCF) or what information does the interventionalist need for treatment?, 75
Delayed recanalization of a cerebral arterioveous malformation following angiographic obliteration with polyvinyl alcohol embolization, 113-com
Hemodynamic evaluation with dynamic DSA during the treatment of cerebral vasospasm: a retrospective study, 73-com
Myelopathy associated with fibrocartilaginous emboli (FE): review and two suspected cases, 234-com
Percutaneous transluminal angioplasty in a canine model of cerebral vasospasm: angiographic, histologic, and pharmacologic evaluation, 171-com
Persistent feeding arteries to angiographically completely embolized arteriovenous malformation demonstrated by intraoperative color-flow Doppler testing: report of two cases, 332-com
What is your general approach to the management of brain stem AVMs?, 108
De Caro ML. *See* Maiuri F
Deen HG Jr. *See* Goldstein R
Deogaonkar M. *See* Goel A
de Villiers JC. Neurosurgery in 50 years, 510
Diaz FG. Anastomosis of occipital artery to posterior cerebral artery with interposition of superficial temporal artery using occipital interhemispheric transtentorial approach: case, 250-com
Dirnagl U. Holographic imaging of human brain preparations—a step toward virtual medicine, 432-com
Dobben GD. *Magnetic Resonance Imaging of CNS Disease: A Teaching File*, 501-br
Dohrmann GJ. Cervical central cord syndrome involving the spinal trigeminal nucleus: a case report, 239-com
Dorsch N. Rapid spontaneous diminution of cisternal blood on computed tomography in patients with subarachnoid hemorrhage, 363-com
Dowd CF
Percutaneous transluminal angioplasty in a canine model of cerebral vasospasm: angiographic, histologic, and pharmacologic evaluation, 170-com
See Hieshima GB
Dujovny M. *See* Abd El-Bary TH
Dunsker SB. Complication of epidural fat graft in lumbar spine disc surgery: case report, 481-com

E

Egnatchik JG. *See* Zakeri A
Eguchi T. Evaluation of cerebral blood flow and hemodynamic reserve in symptomatic Moyamoya disease using stable xenon-CT blood flow, 262-com
El-Gindi S. Intramedullary tuberculoma: report of two cases with MRI findings, 244-com
Elowitz EH, Johnson WD, Milhorat TH. Computerized tomography (CT) localized stereotactic craniotomy for excision of a bacterial intracranial aneurysm, 265-cd
Engelhard HH, Meyer JR. Adult-onset presentation of Dandy-Walder variant in siblings, 43-cd
Eskridge JM. *See* Goodkin R
Etemadrezaie H. *See* Patil A-A
Eubanks KD. *See* Story JL

F

Fagan PA. *See* Fenton JE
Fenton JE, Fagan PA. Facial nerve outcome after acoustic neuroma surgery, 95-le
Feuer H. "Preplacement" of the back of the halo vest in patients undergoing cervical spine injuries: a technical note, 478-com
Fina P. *See* Nicolato A
Findlay JM. Primary intraventricular hemorrhage in adults: clinical features, risk factors, and outcome, 437-com
Fiumara E. *See* D'Angelo V
Florio F. *See* D'Angelo V
Franco A. *See* Schisano G
Freidberg SR. *See* McReynolds SM
Frey JL. *See* Kraus GE
Fujii Y, Takahashi A, Yoshimoto T. Percutaneous transluminal angioplasty in a canine model of cerebral vasospasm: angiographic, histologic, and pharmacologic evaluation, 163
Fujimura N. *See* Sugita S
Fujiwara T, Matsumoto Y, Honma Y, Kuyama H, Nagao S, Ohkawa M. A comparison of intraarterial carboplatin and ACNU for the treatment of gliomas, 145
Fukushima T. Trigeminal neuralgia caused by a cerebellopontine-angle lipoma: case report, 35-com
Furuoka N. *See* Touho H
Furuya K. *See* Kurita H
Futrell N. *See* Wang DZ

G
Gaetani P. *See* Tancioni F
Gamache FW Jr. Intraoperative stimulation of pedicle screws: a new method for verification of screw placement, 547-com
George B
Importance of prevention of intravenous thrombosis and preservation of the venous collateral flow in bridging vein injury during surgery: an experimental study, 162-com
Microsurgical anatomy of the atlantal part of the vertebral artery, 400-com
George B, Lot G, Tran Ba Huy P. The juxtacondylar approach to the jugular foramen (without petrous bone drilling), 279
Gerosa MA. *See* Nicolato A
Gibo H. *See* Marinković S
Gilsbach J. *See* Spetzger U
Giorgiutti F. *See* Nicolato A
Glasauer FE. *See* Zakeri A
Goel A. Use of outer layer of dura as a pedicled flap, 92
Goel A, Deogaonkar M. Subgaleal preservation of calvarial flaps, 181
Gohda Y. *See* Moriyama E
Goldstein R, Deen HG Jr, Zimmerman RS, Lyons MK. "Preplacement" of the back of the halo vest in patients undergoing cervical spine injuries: a technical note, 476
Good R. *See* Patil A-A
Goodkin R, McKhann GM II, Haynor DR, Mayberg MR, Eskridge JM, Winn HR. Persistent feeding arteries to angiographically completely embolized arteriovenous malformation demonstrated by intraoperative color-flow Doppler testing: report of two cases, 326-cd
Goodman JM. The pathologic, surgical, and MR spectrum of Rathke cleft cysts, 27-com
Goraj B. *See* Rifkinson-Mann S
Gorgoglione L. *See* D'Angelo V
Gropper MR, Schulder M, Sharan AD, Cho E-S. Central nervous system tuberculosis: medical management and surgical indications, 378-cd
Guay AT. *See* McReynolds SM
Gupta SR. *See* Angelopoulos M
Gupta VK, Sharma BS, Khosla VK. Intramedullary tuberculoma: report of two cases with MRI findings, 241-cd
Guterman LR. *See* Standard SC

H
Hada H. *See* Inagawa T
Haddad FS.
Neurosurgery in 50 years, 512
Retirement or shift of interest, 94-le
Hahn YS. *Disorders of the Pediatric Spine,* 295-br
Haines SJ, Walters BC. What is metanalysis?, 581-rc
Han DH. *See* Kim DG
Handa Y. *See* Kobayashi H
Harrison JM. *See* Story JL
Hasegawa T
See Kuroiwa T
See Miyamori T
Haynor DR. *See* Goodkin R
Hellwig D. *See* Bauer BL
Henderson JP. *See* McLean JM
Herman JM. *See* Kraus GE
Hier DB. *Migraine: Manifestations, Pathogenesis, and Management,* 193-br
Hieshima GB, Dowd CF. Hemodynamic evaluation with dynamic DSA during the treatment of cerebral vasospasm: a retrospective study, 74-com
Hoffman HJ
Expanded cavum septi pellucidi and cavum vergae associated with behavioral symptoms relieved by a stereotactic procedure: case report, 475-com
Familial syringomyelia: case report and review of the literature, 53-com
Neurosurgery in 50 years, 510
Nonresective treatment of pineoblastoma: a case report, 391-com
What's new in pediatric neurosurgery, 371
Honma Y. *See* Fujiwara T
Hopkins LN. *See* Standard SC
Horowitz M, Yonas H, Albright AL. Evaluation of cerebral blood flow and hemodynamic reserve in symptomatic Moyamoya disease using stable xenon-CT blood flow, 251
Hussain SF. *See* McReynolds SM

I
Iaconetta G. *See* Maiuri F
Ide H. *See* Kobayashi H
Ide M. *See* Yamamoto M
Ikawa F. *See* Satoh H
İldan F, Polat S, Öner A, İsbir T, Çetinalp E, Kaya M, Karadayi A. The effect of the treatment of high-dose methylprednisolone on Na^{+}-K^{+}/Mg^{+2} ATPase activity and lipid peroxidation and ultrastructural findings following cerebral contusion in rat, 573
İmer M. *See* Çobanoğlu S
Inagawa T, Ohbayahi N, Hada H. Rapid spontaneous diminution of cisternal blood on computed tomography in patients with subarachnoid hemorrhage, 356
Inao S. *See* Kanaiwa H
İsbir T. *See* İldan F
Ishii Y. *See* Kobayashi H
Işik. *See* Çeviker N
Ito U. *See* Tomita H
Iuzzolino P. *See* Nicolato A
Izawa M. *See* Kawamata T

J
Jannetta PJ. Neurinoma of the trigeminal root and atypical trigeminal neuralgia: case report, 42-com
Jimbo M. *See* Yamamoto M
Jobe TH. *Cerebral SPECT Imaging, 2nd Ed.,* 194-br
Johnson WD. *See* Elowitz EH
Johnston F. *See* Tacconi L

K
Kabuto M. *See* Kobayashi H
Kabuto M, Kubota T, Kobayashi H, Nakagawa T, Arai Y, Kitai R. Experimental study of intraoperative local chemotherapy with fibrin glue containing nitrosourea for malignant gliomas, 151

Kagawa M. *See* Kawamata T
Kakizaki T. *See* Sakaki T
Kamiyama H. *See* Mabuchi S
Kanaiwa H, Kuchiwaki H, Inao S, Sugita K. Changes in the cerebrocortical capillary network following venous sinus occlusion in cats, 172
Kanpolat Y
  XIth Congress of the European Society for Stereotactic and Functional Neurosurgery, 88
  Neurosurgery in 50 years, 511
Karadayi A. *See* Ildan F
Karasawa J. *See* Touho H
Karlson B. *See* Yamamoto M
Kashab M. Acute subdural hematoma, 409-le
Kasoff SS. *See* Babu R
Kassell NF. Percutaneous transluminal angioplasty in a canine model of cerebral vasospasm: angiographic, histologic, and pharmacologic evaluation, 170-com
Kato T, Sawamura Y, Abe H. Trigeminal neuralgia caused by a cerebellopontine-angle lipoma: case report, 33-cd
Kaufman H. Clinical findings in patients with recurrent intracerebral hemorrhage, 449-com
Kavuncu IA. *See* Öktem IS
Kawada S. *See* Moriyama E
Kawamata T, Takeshita M, Kubo O, Izawa M, Kagawa M, Takakura K. Management of intracranial hemorrhage associated with anticoagulant therapy, 438, 443 (authors' reply)
Kaya M. *See* Ildan F
Kayama T. *See* Mizoi K
Kaymaz M. *See* Çeviker N
Keskil S. *See* Çeviker N
Khosla VK. *See* Gupta VK
Kia BA. *See* Angelopoulos M
Kidosaki Y. *See* Sunada I
Kikuchi H. Neurosurgery in 50 years, 513
Kim DG, Lee JI, Lee DS, Lee MC, Choi KS, Han DH. ^{99}Tc-HMPAO labeled leukocyte SPECT in intracranial lesions, 338
Kimm JA. *See* McLean JM
Kitai R. *See* Kabuto M
Kiya K. *See* Satoh H
Kleinschmidt-DeMasters BK, Lillehei KO, Stears JC. The pathologic, surgical, and MR spectrum of Rathke cleft cysts, 19
Ko K, Webster JM. Holographic imaging of human brain preparations—a step toward virtual medicine, 428
Kobayashi H. *See* Kabuto M
Kobayashi H, Ide H, Kabuto M, Handa Y, Kubota T, Ishii Y. Effect of mannitol on focal cerebral ischemia evaluated by somatosensory-evoked potentials and magnetic resonance imaging, 55
Kobayashi M. *See* Yamamoto M
Kobayashi N. *See* Mabuchi S
Kobayashi S. A3-A3 side-to-side anastomosis in the anterior communicating artery aneurysm surgery: report of four cases, 127-com
Kobitsu K. *See* Touho H
Kolchinsky A. Investigation of chemoresistance-related genes mRNA expression for selecting anticancer agents in successful adjuvant chemotherapy for a case of recurrent glioblastoma, 468-com
Kopitnik TA Jr, Samson D. Progress in the management of patients with aneurysmal subarachnoid hemorrhage: a single hospital review for 20 years. Parts I and II, 533-com
Kornblith PL
  Analysis of brain tumors using ^{1}H magnetic resonance spectroscopy, 144-com
  Basis of brain tumor biology, 54
  Experimental study of intraoperative local chemotherapy with fibrin glue containing nitrosourea for malignant gliomas, 156-com
  Investigation of chemoresistance-related genes mRNA expression for selecting anticancer agents in successful adjuvant chemotherapy for a case of recurrent glioblastoma, 469-com
  Role of cytotoxic chemotherapy in the treatment of malignant brain tumors, 551
Koshu K. *See* Mizoi K
Kovačević M. *See* Marinković S
Kraus GE, Herman JM, Lee KS, Spetzler RF, Frey JL. Middle cerebral artery endarterectomy: experience with two cases, 346-cd
Krivoy A. Neurosurgery in 50 years, 518
Kubo O. *See* Kawamata T
Kubota T
  See Kabuto M
  See Kobayashi H
Kuchino Y. *See* Nagane M
Kuchiwaki H. *See* Kanaiwa H
Kurisu K. *See* Satoh H
Kurita H, Shiokawa Y, Furuya K, Segawa H, Sano K. Parasellar *Aspergillus* granuloma extending from the sphenoid sinus: report of two cases, 489-cd
Kuroiwa T, Tanabe H, Hasegawa T, Ohta T. Traumatic basilar impression: case report, 31-cd
Kurtsoy A. *See* Öktem IS
Kushner J. A neurosurgical call to arms: you can help, 202
Kuyama H. *See* Fujiwara T

L
Lamaida E. *See* Maiuri F
Landolt AM. The pathologic, surgical, and MR spectrum of Rathke cleft cysts, 26-com
Larson DA, Lindquist C, Loeffler JS, Lunsford LD. Radiosurgery patterns of practice, 414
Lee AKC. *See* McReynolds SM
Lee DS. *See* Kim DG
Lee JI. *See* Kim DG
Lee KC
  Assessment of delayed cerebral vasospasm using intracisternal echography—technical note, 325
  Neurosurgery in 50 years, 516
Lee KS. *See* Kraus GE
Lee MC. *See* Kim DG
Leslie D. *See* Rifkinson-Mann S
Levivier M, Mertens P. French-speaking society of neurosurgery, 185
Lillehei KO. *See* Kleinschmidt-DeMasters BK
Lindquist C. *See* Larson DA
Lingquist C. *See* Yamamoto M
Loeffler JS. *See* Larson DA
Loftman BA. HR 18118: medical savings accounts, 293-le
Loftus CM. Effect of mannitol on focal cerebral ischemia evaluated by somatosensory-evoked potentials and magnetic resonance imaging, 61-com

Loiseau H, Dartigues J-F, Cohadon F. Low-grade astrocytomas: prognosis factors and elements of management, 224
Long DM
Advice to young neurosurgeons, 589-rc
Atlas of Cranial Base Surgery, 97-br
Myelopathy associated with fibrocartilaginous emboli (FE): review and two suspected cases, 234-com
Should meningiomas involving the cavernous sinus be totally resected?, 12-com
Lot G. *See* George B
Loyo M. Intramedullary tuberculoma: report of two cases with MRI findings, 243-com
Loyo-Varela M. Hot flushes in men with pituitary adenoma, 18-com
Lūdecke DK. Hot flushes in men with pituitary adenoma, 17-com
Lukas R. Disseminated intravascular coagulation, 184-rc
Lunsford LD
Gamma knife radiosurgery for cerebral arteriovenous malformations: an autopsy report focusing on irradiation-induced changes observed in nidus-unrelated arteries, 427-com
See Larson DA
Lyons MK. *See* Goldstein R

M

Mabuchi S, Kamiyama H, Kobayashi N, Abe H. A3-A3 side-to-side anastomosis in the anterior communicating artery aneurysm surgery: report of four cases, 122-cd
Macdonald RL. Percutaneous transluminal angioplasty in a canine model of cerebral vasospasm: angiographic, histologic, and pharmacologic evaluation, 170-com
Machado de Almeida G, Shibata MK. Subgaleal preservation of calvarial flaps, 183-com
Mafee MF
Magnetic Resonance in Epilepsy, 593-br
Sectional Anatomy of the Head and Neck with Correlative Diagnostic Imaging, 297-br
Maiuri F, Iaconetta G, Benvenuti D, Lamaida E, De Caro ML. Intracranial meningeal melanocytoma: case report, 556-cd
Malis LI. The juxtacondylar approach to the jugular foramen (without petrous bone drilling), 284-com
Mallucci CL, Obukhov S. Successful removal of large pineal region meningiomas: two case reports, 562-cd
Mandai S. *See* Moriyama E
Marinković S, Kovačević M, Gibo H, Milisavljević M, Bumbaširević L. The anatomical basis for the cerebellar infarcts, 450
Maroon JC
The development of a successful neurosurgical practice, 402
Myelopathy associated with fibrocartilaginous emboli (FE): review and two suspected cases, 235-com
Martin NA. Computerized tomography (CT) localized stereotactic craniotomy for excision of a bacterial intracranial aneurysm, 269-com
Martin W. *See* Young WF
Maruishi M, Shima T, Okada Y, Nishida M, Yamane K, Okita S. Clinical findings in patients with recurrent intracerebral hemorrhage, 444
Matsumoto Y
See Fujiwara T
See Moriyama E
Mayberg MR. *See* Goodkin R
McBride DQ, Miller BL, Nikas DL, Buchthal S, Chang L, Chiang F, Booth RA. Analysis of brain tumors using ^{1}H magnetic resonance spectroscopy, 137
McKhann GM II. *See* Goodkin R
McLean JM, Palagallo GL, Henderson JP, Kimm JA. Myelopathy associated with fibrocartilaginous emboli (FE): review and two suspected cases, 228-cd
McReynolds SM, Freidberg SR, Guay AT, Lee AKC, Pazianos AG, Hussain SF. Hot flushes in men with pituitary adenoma, 14-cd
Meguro T. *See* Moriyama E
Memiş M. *See* Çobanoğlu S
Mertens P. *See* Levivier M
Meyer JR. *See* Engelhard HH
Milhorat TH. *See* Elowitz EH
Milisavljević M. *See* Marinković S
Miller BL. *See* McBride DQ
Millikan C. *See* Wang DZ
Miyage J. *See* Sugita S
Miyamori K. *See* Miyamori T
Miyamori T, Miyamori K, Hasegawa T, Tokuda K, Yamamoto Y. Expanded cavum septi pellucidi and cavum vergae associated with behavioral symptoms relieved by a stereotactic procedure: case report, 471-cd
Miyamoto K. *See* Sakaki T
Mizoi K. *See* Suzuki M
Mizoi K, Yoshimoto T, Nagamine Y, Kayama T, Koshu K. How to treat incidental cerebral aneurysms: a review of 139 consecutive cases, 114
Moriarity JL Jr, Steinberg GK. Surgical obliteration for vein of Galen malformation: a case report, 365-cd
Moriyama E, Matsumoto Y, Meguro T, Kawada S, Mandai S, Gohda Y, Sakurai M
Progress in the management of patients with aneurysmal subarachnoid hemorrhage: a single hospital review for 20 years. Part I: aged patients, 528
Progress in the management of patients with aneurysmal subarachnoid hemorrhage: a single hospital review for 20 years. Part I: younger patients, 522
Morledge DE. *See* Young WF
Moser RP. Investigation of chemoresistance-related genes mRNA expression for selecting anticancer agents in successful adjuvant chemotherapy for a case of recurrent glioblastoma, 469-com
Mull M. *See* Spetzger U

N

Nagamine Y. *See* Mizoi K
Nagane M, Shibui S, Oyama H, Asai A, Kuchino Y, Nomura K. Investigation of chemoresistance-related genes mRNA expression for selecting anticancer agents in successful adjuvant chemotherapy for a case of recurrent glioblastoma, 462-cd

Nagao S. *See* Fujiwara T
Nakagawa T. *See* Kabuto M
Nakahara A. *See* Satoh H
Nicolato A, Gerosa MA, Fina P, Iuzzolino P, Giorgiutti F, Bricolo A. Prognostic factors in low-grade supratentorial astrocytomas: a uni-multivariate statistical analysis in 76 surgically treated adult patients, 208
Nikas DL. *See* McBride DQ
Nina P. *See* Schisano G
Nishida M. *See* Maruishi M
Nomura K. *See* Nagane M
Nutik S
CSF leak after acoustic neuroma surgery, 192-le
Facial nerve outcome after acoustic neuroma surgery, 95-le

O

Obukhov S. *See* Mallucci CL
Ogai M. *See* Tanishima T
Ohbayahi N. *See* Inagawa T
Ohkawa M. *See* Fujiwara T
Ohnishi H. *See* Touho H
Ohta T. *See* Kuroiwa T
Okada Y. *See* Maruishi M
Okita S. *See* Maruishi M
Öktem IS, Selçuklu A, Kurtsoy A, Kavuncu IA, Paşaoğlu A. Migration of bullet in the spinal canal: a case report, 548-cd
Öner A. *See* Îldan F
Ostertag C. Nonresective treatment of pineoblastoma: a case report, 391-com
Oyama H. *See* Nagane M
Özylmaz F. *See* Çobanoğlu S

P

Padua HM Jr. *See* Rifkinson-Mann S
Palagallo GL. *See* McLean JM
Park KB. *See* Young WF
Paşaoğlu A. *See* Öktem IS
Patil A-A, Good R, Bashir R, Etemadrezaie H. Nonresective treatment of pineoblastoma: a case report, 386-cd
Pazianos AG. *See* McReynolds SM
Pelofsky S. What will it take?, 106-ed
Peters JD. Response to Dr. Kushner's "call to arms," 205
Polat S. *See* Îldan F
Prasad D, Steiner L. Radiosurgery patterns of practice, 420-com
Pritz MB. Management of intracranial hemorrhage associated with anticoagulant therapy, 443-com

R

Raftopoulos C, Balériaux D, Hancq S, Closset J, David P, Brotchi J. Evaluation of endoscopy in the treatment of rare meningoceles: preliminary results, 308-cd
Rand CW. Doctor Cushing as I knew him, 288
Rappaport ZH. Neurosurgery in 50 years, 517
Renier D. Transcranial Doppler analysis of cerebral hemodynamics in primary craniosystenosis: study in progress, 337-com
Renkens KL. *Spinal Instrumentation,* 295-br
Reulen HJ. Changes in the cerebrocortical capillary network following venous sinus occlusion in cats, 179-com
Rifkinson-Mann S, Goraj B, Leslie D, Visintainer PF, Padua HM Jr. Transcranial Doppler analysis of cerebral hemodynamics in primary craniosystenosis: study in progress, 334
Rodriguez y Baena R. *See* Tancioni F
Rosenberg RN. *See* Terry JB
Rueda-Franco F. Adult-onset presentation of Dandy-Walder variant in siblings, 47-com

S

Sakaki T, Kakizaki T, Takeshima T, Miyamoto K, Tsujimoto S. Importance of prevention of intravenous thrombosis and preservation of the venous collateral flow in bridging vein injury during surgery: an experimental study, 158
Sakurai M. *See* Moriyama E
Samii M. Adenocarcinoma of Meckel's cave: case report, 555-com
Samson D
How to treat incidental cerebral aneurysms: a review of 139 consecutive cases, 120-com
See Kopitnik TA Jr
What is your general approach to the management of brain stem AVMs?, 107
Sano H. Giant aneurysm at the origin of the accessory middle cerebral artery, 130-com
Sano K. *See* Kurita H
Satoh H, Uozumi T, Kiya K, Ikawa F, Kurisu K, Sumida M, Nakahara A. Invasive aspergilloma of the frontal base causing internal carotid artery occlusion, 483-cd
Sawamura Y. *See* Kato T
Schisano G, Franco A, Nina P. Intraradicular and intradural lumbar disc herniation: experiences with nine cases. (Presented at the Scandinavian Congress of Neurosurgery, "Uppsala, Sweden, June 9–12, 1993), 536-cd
Schmiedek P. A3-A3 side-to-side anastomosis in the anterior communicating artery aneurysm surgery: report of four cases, 127-com
Schulder M. *See* Gropper MR
Schut L. Adult-onset presentation of Dandy-Walder variant in siblings, 47-com
Segawa H. *See* Kurita H
Selçuklu A. *See* Öktem IS
Shapiro WR. A comparison of intraarterial carboplatin and ACNU for the treatment of gliomas, 150-com
Sharan AD. *See* Gropper MR
Sharma BS. *See* Gupta VK
Shibata MK. *See* Machado de Almeida G
Shibui S. *See* Nagane M
Shigemori M. *See* Sugita S
Shima T. *See* Maruishi M
Shimokawa N. *See* Sunada I
Shiokawa Y. *See* Kurita H
Sisti MB. *See* Stein BM
Slavin KV
Neurosurgical Emergencies, Vols. 1 & 2, 410-br

Nuances of Neurosurgical Technique, 194-br
Publication world and world publications, 90-ed
Sotelo J. Central nervous system tuberculosis: medical management and surgical indications, 384-com
Spetzger U, Mull M, Sure U, Gilsbach J. Subarachnoid and intraventricular hemorrhage caused by hypernephroma metastasis, accompanied by innocent bilateral posterior communicating artery aneurysms, 275-cd
Spetzler RF
Neurosurgery in 50 years, 518
See Kraus GE
Standard SC, Guterman LR, Chavis TD, Hopkins LN. Delayed recanalization of a cerebral arteriovenous malformation following angiographic obliteration with polyvinyl alcohol embolization, 109, 113 (authors' reply)
Stears JC. *See* Kleinschmidt-DeMasters BK
Stein B. *See* Bruce J
Stein BM, Sisti MB. Gamma knife radiosurgery for cerebral arteriovenous malformations: an autopsy report focusing on irradiation-induced changes observed in nidus-unrelated arteries, 427-com
Steinberg GK. *See* Moriarity JL Jr
Steiner L
See Prasad D
What is your general approach to the management of brain stem AVMs?, 108
Story JL, Story Held K, Harrison JM, Cleland TP, Eubanks KD, Brown WE Jr. The ocular ischemic syndrome in carotid artery occlusion disease: ophthalmic color Doppler flow velocity and electroretinographic changes following carotid artery reconstruction, 534
Story Held K. *See* Story JL
Sugita K. *See* Kanaiwa H
Sugita S, Yuge T, Miyage J, Fujimura N, Shigemori M. Giant aneurysm at the origin of the accessory middle cerebral artery, 128
Sumida M. *See* Satoh H
Sunada I, Akano Y, Kidosaki Y, Shimokawa N, Yamamoto S. Spontaneous spinal subarachnoid hematoma—case report, 133-cd
Sure U. *See* Spetzger U
Suzuki M, Mizoi K, Yoshimoto T. Should meningiomas involving the cavernous sinus be totally resected?, 3
Symon L. *See* Tacconi L
Sypert GW. Intraoperative stimulation of pedicle screws: a new method for verification of screw placement, 547-com
Szabo GC, Winkler SR. Withdrawal of glucocorticoid therapy in neurosurgical patients, 498-rc

T
Tacconi L, Arulampalam T, Johnston F, Symon L. Adenocarcinoma of Meckel's cave: case report, 553-cd, 555-cd (authors' reply)
Takahashi A. *See* Fujii Y
Takakura K
Radiosurgery patterns of practice, 419-com
See Kawamata T
Takeshima T. *See* Sakaki T
Takeshita M. *See* Kawamata T
Tanabe H. *See* Kuroiwa T
Tancioni F, Gaetani P, Villani L, Zappoli F, Rodriguez y Baena R. Neurinoma of the trigeminal root and atypical trigeminal neuralgia: case report, 36-cd
Tandon PN. Central nervous system tuberculosis: medical management and surgical indications, 384-com
Tanishima T, Yoshimasu N, Ogai M. A technique for prevention of donor site pain associated with harvesting iliac bone grafts, 131
Taylon C. *See* Wang DZ
Terry JB, Rosenberg RN. Frontal lobe ataxia, 583-cd
Tobias E
Merritt's Textbook of Neurology, 410-br
Neurology and General Medicine, 98-br
Tokuda K. *See* Miyamori T
Tokyay M. *See* Çeviker N
Tomita H, Ito U, Tone O. Acute subdural hematoma, 409-le (authors' reply)
Tone O. *See* Tomita H
Touho H. Hemodynamic evaluation with dynamic DSA during the treatment of cerebral vasospasm: a retrospective study, 63
Touho H, Karasawa J, Ohnishi H, Furuoka N. Assessment of delayed cerebral vasospasm using intracisternal echography—technical note, 319
Touho H, Karasawa J, Ohnishi H, Kobitsu K. Anastomosis of occipital artery to posterior cerebral artery with interposition of superficial temporal artery using occipital interhemispheric transtentorial approach: case report, 245-cd
Toyoda C. *See* Yamamoto M
Tran Ba Huy P. *See* George B
Tsujimoto S. *See* Sakaki T

U
Umansky F. Should meningiomas involving the cavernous sinus be totally resected?, 11-com
Uozumi T. *See* Satoh H
Ushio Y
Nonresective treatment of pineoblastoma: a case report, 391-com
Resection of olfactory groove meningiomas: technical note revisited, 572-com

V
VanGilder JC. Neurosurgery in 50 years, 515
van Loveren HR. Should meningiomas involving the cavernous sinus be totally resected?, 12-com
Velasco-Suarez M. Neurosurgery in 50 years, 515
Venes J. Have neurosurgeons lost their chance to treat the patient with spine problems, vascular disease, and peripheral nerve problems?, 294-le
Villani L. *See* Tancioni F
Viñuela F. Surgical obliteration for vein of Galen malformation: a case report, 370-com
Visintainer PF. *See* Rifkinson-Mann S

W
Walker ML. Surgical obliteration for vein of Galen malformation: a case report, 369-com
Walters BC. *See* Haines SJ

Wang C-c. Subgaleal preservation of calvarial flaps, 182-com
Wang DZ, Futrell N, Taylon C, Millikan C. Anticoagulation for prevention of cerebral infarcts following subarachnoid hemorrhage, 270
Wang M-L. *See* Yang S-y
Webster JM. *See* Ko K
Weinstein PR. Anastomosis of occipital artery to posterior cerebral artery with interposition of superficial temporal artery using occipital interhemispheric transtentorial approach: case, 250-com
Weir B. Rapid spontaneous diminution of cisternal blood on computed tomography in patients with subarachnoid hemorrhage, 363-com
Wilson CB. Advise to young neurosurgeons, 82-rc
Winkler SR. *See* Szabo GC
Winn HR. *See* Goodkin R
Wissinger JP. A technique for prevention of donor site pain associated with harvesting iliac bone grafts, 132-com

Y

Yamamoto M, Jimbo M, Ide M, Kobayashi M, Toyoda C, Lingquist C, Karlson B. Gamma knife radiosurgery for cerebral arteriovenous malformations: an autopsy report focusing on irradiation-induced changes observed in nidus-unrelated arteries, 421-cd
Yamamoto S. *See* Sunada I
Yamamoto Y. *See* Miyamori T
Yamane K. *See* Maruishi M
Yang S-y, Zhang S, Wang M-L. Clinical significance of admission hyperglycemia and factors related to it in patients with acute severe head injury, 373
Yonas H
  Effect of mannitol on focal cerebral ischemia evaluated by somatosensory-evoked potentials and magnetic resonance imaging, 61-com
  See Horowitz M
Yoshimasu N. *See* Tanishima T
Yoshimoto T
  Evaluation of cerebral blood flow and hemodynamic reserve in symptomatic Moyamoya disease using stable xenon-CT blood flow, 262-com
  Middle cerebral artery endarterectomy: experience with two cases, 354-com
  See Fujii Y
  See Mizoi K
  See Suzuki M,
Young RF. Cervical central cord syndrome involving the spinal trigeminal nucleus: a case report, 239-com
Young WF, Morledge DE, Martin W, Park KB. Intraoperative stimulation of pedicle screws: a new method for verification of screw placement, 544
Yuge T. *See* Sugita S

Z

Zakeri A, Glasauer FE, Egnatchik JG. Familial syringomyelia: case report and review of the literature, 48-cd
Zappoli F. *See* Tancioni F
Zerah MA. Surgical obliteration for vein of Galen malformation: a case report, 370-com
Zhang S. *See* Yang S-y
Zidan AH. Invasive aspergilloma of the frontal base causing internal carotid artery occlusion, 488-com
Zimmerman RS. *See* Goldstein R

br = book review; cd = case description; ed = editorial; le = letter or reader's comment; rc = resident's corner.

ELSEVIER

SUBJECT INDEX

A

A1 portion, of anterior cerebral artery, aneurysms of, 128
A3-A3 side-to-side anastomosis, in ACoA aneurysm surgery, 122
Accessory middle cerebral artery, giant aneurysm of, 128
ACNU, intraarterial, for gliomas, 145
Acoustic neuroma
  surgery
    CSF leak after, 192-le
    facial nerve outcome after, 95-rc
Acromegaly, pituitary tumors and, 83
Adenocarcinoma, of Meckel's cave, 553
Adjuvant chemotherapy, for recurrent glioblastoma, chemoresistance gene mRNA expression in selecting, 462
Admission hyperglycemia, clinical significance of, and acute severe head injury, 373
Adolescent, *See* Infants and children
Adult-onset presentation, in siblings, of Dandy-Walker variant, 43
Anastomosis
  A3-A3, in ACoA aneurysm surgery, 122
  among cerebellar arteries, 450
  of occipital artery, with interposition of superficial temporal artery, using occipital interhemispheric transtentorial approach, 245
Aneurysms, *See* Cerebral aneurysms
Angiographic obliteration, with polyvinyl alcohol embolization, of arteriovenous malformations, 108
Angiography
  of carotid cavernous sinus fistula, 75
  of completely embolized arteriovenous malformation, 326
  percutaneous transluminal angioplasty in canine model of vasospasm and, 163
Angioplasty, percutaneous transluminal, in canine model of vasospasm, 163
Angle, cerebellopontine, 33
Anterior communicating artery aneurysm surgery, A3-A3 side-to-side anastomosis in, 122
Anticancer agents, for recurrent glioblastoma, chemoresistance gene mRNA expression for selecting, 462
Anticoagulant therapy
  intracranial hemorrhage associated with, management of, 438
  for prevention of cerebral infarcts following subarachnoid hemorrhage, 270
Arteriovenous malformations
  angiographically completely embolized, persistent feeding arteries to, 326
  brainstem, general approach to management of, 107
  delayed recanalization of, after angiographic obliteration with polyvinyl alcohol embolization, 108
  gamma knife radiosurgery for, autopsy report focusing on irradiation-induced changes observed in nidus-unrelated arteries, 421
Aspergilloma, invasive, of frontal base, causing internal carotid artery occlusion, 483
Aspergillus granuloma, parasellar, extending from sphenoid sinus, 489
Astrocytomas
  low-grade, prognosis factors and management, 224
  low-grade supratentorial, prognostic factors in, 208
Ataxia, frontal lobe, 583
Atherosclerotic stenosis, of middle cerebral artery, endarterectomy for, 346
Atlantal part, of vertebral artery, microsurgical anatomy of, 392
Atlas, intracranial indentation of, traumatic basilar impression and, 31
Autopsy report, focusing on irradiation-induced changes observed in nidus-unrelated arteries, gamma knife radiosurgery for AVMs and, 421

B

Bacterial intracranial aneurysm, excision of, using computerized tomography localized stereotactic craniotomy, 265
Basilar impression, traumatic, 31
Behavioral symptoms, relieved by stereotactic procedure, expanded cavum septi pellucidi and cavum vergae associated with, 471
Biology, brain tumor, basis of, 54
Blood flow, *See* Cerebral blood flow
Blunt head trauma, severe, in sella turica fractures, 28
Bone graft harvest, iliac, donor site pain associated with, techqnique for prevention of, 131
Bone strut, sella floor closure, for Rathke cleft cysts, 19
BOOK REVIEWS
  Atlas of Cranial Base Surgery, 97
  Cerebral SPECT Imaging, 2nd Ed., 194
  Disorders of the Pediatric Spine, 295
  Disorders of Voluntary Muscle (6th Edition), 501
  Essentials of Neurosurgery: a Guide to Clinical Practice, 502
  Magnetic Resonance Imaging of CNS Disease: A Teaching File, 501
  Magnetic Resonance in Epilepsy, 593
  Merritt's Textbook of Neurology, 410
  Migraine: Manifestations, Pathogenesis, and Management, 193
  Neurology and General Medicine, 98
  Neurosurgical Emergencies, Vols. 1 & 2, 410
  Nuances of Neurosurgical Technique, 194
  Sectional Anatomy of the Head and Neck with Correlative Diagnostic Imaging, 297
  Skull Base Surgery: Anatomy, Diagnosis and Treatment, 98
  Spinal Instrumentation, 295

0090-3019/95/$15.00

© 1995 by Elsevier Science Inc.
655 Avenue of the Americas, New York, NY 10010

Brain
preparations, human, holographic imaging of, 428
tumors, *See also* specific type of tumor
^{1}H magnetic resonance spectroscopy in, 137
malignant, cytotoxic chemotherapy role in treatment of, 551
^{99M}-Tc-HMPAO labeled leukocyte SPECT in, 338
biology, basis of, 54
meningioma, *See* Meningioma
Brain stem, AVMs, general approach to management of, 107
Bridging vein injury, during surgery, 158

C
Calvarial flaps, subgaleal preservation of, 181
Canine model, of cerebral vasospasm, percutaneous transluminal angioplasty in, 163
Capillary network, cerebrocortical, following sinus occlusion, 172
Carboplatin, intraarterial, for gliomas, 145
Carotid artery
internal, invasive aspergilloma of frontal base causing occlusion of, 483
occlusive disease, ocular ischemic syndrome in, 534
Carotid cavernous sinus fistula, angiographic workup of, 75
Cavernous sinus
carotid fistula, angiographic workup of, 75
meningiomas involving, total resection of, 3
Cavum septum pellucidi and cavum vergae, expanded, associated with behavioral problems relieved by stereotactic procedure, 471
Central nervous system, tuberculosis, medical management and surgical indications, 378
Cerebellar infarcts, anatomical basis for, 450
Cerebellopontine-angle lipoma, trigeminal neuralgia caused by, 33
Cerebral aneurysms
anterior communicating artery surgery, A3-A3 side-to-side anastomosis in, 122
bacterial intracranial, excision of using computerized tomography localized stereotactic craniotomy, 265
cerebral mycotic, surgical treatment of, using stereo-angiographic localizer, 263
giant, of accessory middle cerebral artery, 128
incidental, treatment of, 114
innocent bilateral posterior communicating artery, accompanying subarachnoid and intraventricular hemorrhage caused by hypernephroma metastasis, 275
subarachnoid hemorrhage, management of, 522, 528
Cerebral blood flow
in Moyamoya disease, evaluation of, using stable xenon-CT blood flow, 251
in primary craniosynostosis, transcranial Doppler analysis of, 334
Cerebral contusion, in rat, effects of, 573
Cerebral infarcts, following subarachnoid hemorrhage, anticoagulation for prevention of, 270
Cerebral mycotic aneurysm, surgical treatment of, using stereo-angiographic localizer, 263
Cerebral vasospasm
canine model of, percutaneous transluminal angioplasty in, 163
delayed, assessment of, using intracisternal echography, 319
hemodynamic evaluation with dynamic DSA during treatment of, 63
Cerebrocortical capillary network, following venous sinus occlusion, in cats, 172
Cerebrospinal fluid, leak, after acoustic neuroma surgery, 192-le
Cervical central cord syndrome, involving spinal trigeminal nucleus, 236
Cervical traction, for cervical spine injuries, "preplacement" of back of halo vest for, 476
Chemoresistance gene mRNA expression, for selecting anticancer agents in adjuvant chemotherapy, for recurrent glioblastoma, 462
Chemotherapy
cytotoxic, in treatment of malignant brain tumors, 551
intraarterial, for gliomas, 145
intraoperative local, with fibrin glue containing nitrosourea, for gliomas, 151
Children, *See* Infants and children
Collateral flow, venous, preservation of in bridging vein injury, 158
Computed tomography
of cisternal arachnoid hemorrhage, 356
of large pineal region meningiomas, 562
localized stereotactic craniotomy, for excision of bacterial intracranial aneurysm, 265
periventricular lucency on, associated with hydrocephalus, cause of, 285-rc
of recurrent intracerebral hemorrhage, 444
of sella turcica fractures, 28
of traumatic basilar impression, 31
Congress, XIth, of European Society for stereotactic and functional neurosurgery: Antalya, Turkey, September 24–27, 1994, 88
Cushing, Harvey, M.D., 288
Cysts, Rathke cleft, 19
Cytotoxic chemotherapy, in treatment of malignant brain tumors, 551

D
Dandy-Walker variant, adult-onset presentation of, in siblings, 43
Disc herniation, lumbar, intraradicular and intradural, experiences with, 536
Disc surgery, lumbar spine, complication of epidural fat graft in, 479
Disseminated intravascular coagulation, 184-rc
Donor site pain, associated with harvesting iliac bone grafts, technique for prevention of, 131
Doppler analysis, transcranial, of cerebral hemodynamics in primary craniosynostosis, 334
Doppler color-flow testing, intraoperative, persistent feeding arteries to completely embolized AVM demonstrated by, 326
Doppler flow velocity, ophthalmic color, following carotid artery reconstruction, in ocular ischemic syndrome in carotid artery occlusive disease, 534
DSA, dynamic, hemodynamic evaluation with, during cerebral vasospasm treatment, 63
Dural flap, pedicled, 92
Dysembryogenetic theory, of familial syringomyelia, 48

E

Echography, intracisternal, assessment of delayed cisternal vasospasm using, 319
Editorials
  All the news that's fit to print?, 189
  Editor's notes, 80, 91, 371, 405, 495, 510, 534
  The future: is it cost-effective?, 592
  In this issue, 1, 105, 201, 307, 413, 509
  Is "conservative" really the opposite of "surgical"?, 287
  Not all of us are saints, 499
  Publication world and world publications, 90
  What will it take?, 106
  Who is going to find out?, 403
Elderly, *See* Geriatrics
Electroretinographic changes, following carotid artery reconstruction, in ocular ischemic syndrome in carotid artery occlusive disease, 534
Embolization
  angiographically complete, of AVM, persistent feeding arteries to, 326
  polyvinyl alcohol, of cerebral arteriovenous malformations, 108
Endoscopy, in treatment of rare meningoceles, preliminary results, 308
Environmental factors, in familial syringomyelia, 48
Epidural fat graft, complication of, in lumbar spine disc surgery, 479

F

Facial nerve, outcome, after acoustic neuroma surgery, 95-rc
Familial syringomyelia, spinal cord and, 48
Fat graft, epidural, complication of, in lumbar spine disc surgery, 479
Fibrocartilaginous emboli, myelopathy associated with, 228
Fistula, carotid, cavernous sinus, angiographic workup of, 75
Flaps
  calvarial, subgaleal preservation of, 181
  pedicled, use of dural outer layer as, 92
Focal cerebral ischemia, mannitol effect on, evaluated by somatosensory-evoked potentials and magnetic resonance imaging, 55
Foramen magnum, depressed fracture around, traumatic basilar impresssion and, 31
Fractures
  depressed, traumatic basilar impression and, 31
  sella turcica, in trauma series, 28
Frontal base, invasive aspergilloma of, causing internal carotid artery occlusion, 483
Frontal lobe ataxia, 583
Frontal sinus, management, neurosurgical, 80-rc
Functional neurosurgery, XIth Congress of European Society for stereotactic and functional neurosurgery on, 88

G

Gamma knife radiosurgery, for AVMs, autopsy report focusing on irradiation-induced changes observed in nidus-unrelated arteries, 421
Genes, chemoresistance-related, 462
Genetic factors, in familial syringomyelia, 48
Geriatrics, traumatic basilar impression and, 31
Giant aneurysm, of accessory middle cerebral artery, 128
Glioblastomas, recurrent, chemoresistance gene mRNA expression for selecting anticancer agents in adjuvant chemotherapy for, 462
Gliomas
  intraarterial chemotherapy for, 145
  malignant, intraoperative chemotherapy with fibrin glue containing nitrosourea for, 151
Glucocorticoids, withdrawal of, in neurosurgical patients, 498-rc
Granulomas
  intramedullary tuberculous, spinal, excision of, 241
  parasellar Aspergillus, extending from sphenoid sinus, 489

H

Halo vest, "preplacement" of back of, in cervical traction for cervical spine injuries, 476
Head
  acute severe injury, clinical significance of admission hyperglycemia in, 373
injury, sella turcica fracture and, 28
trauma, basilar impression and, 31
Hematoma
  spinal subarachnoid, spontaneous, 133
  subdural, acute, 409-le
Hemodynamic evaluation, with dynamic DSA, during cerebral vasospasm treatment, 63
Hemodynamic reserve, in moyamoya disease, evaluation of, using stable xenon-CT blood flow, 251
Hemorrhage
  aneurysmal subarachnoid, management of, 522, 528
  intracranial, associated with anticoagulant therapy, management of, 438
  primary intraventricular, in adults, clinical features, risk factors, and outcome, 433
  recurrent intracerebral, clinical findings in, 444
  subarachnoid, anticoagulation for prevention of cerebral infarcts following, 270
  subarachnoid and intraventricular, caused by hypernephroma metastasis, accompanied by innocent bilateral posterior communicating artery aneurysms, 275
Herniation, lumbar disc, intraradicular and intradural, experiences with, 536
Histocompatibility leukocyte antigen, profile, in familial syringomyelia, 48
Histology, percutaneous transluminal angioplasty in canine model of vasospasm and, 163
Holographic imaging, of human brain preparations, a step toward virtual medicine, 428
Hot flushes, in hypogonadism secondary to pituitary adenoma, men with, 14
HR 1818, 293-le
Hydrocephalus
  in Dandy-Walker variant, in pediatric patients, 43
  periventricular lucency on computed tomography associated with, cause of, 285-rc
Hyperglycemia, admission, clinical significance of, and acute severe head injury, 373

Hypernephroma metastasis, subarachnoid and intraventricular hemorrhage caused by, accompanied by innocent bilateral posterior communicating artery aneurysms, 275
Hypogonadism, secondary to pituitary adenoma, 14

I
Iliac bone graft harvest, donor site pain associated with, technique for prevention of, 131
Incidental aneurysms, management of, 114
Infants and children
  bacterial intracranial aneurysm in, excision of, via computerized tomography localized stereotactic craniotomy, 265
  brain tumor analysis using ^{1}H magnetic resonance spectroscopy, 137
  cerebral infarcts following subarachnoid hemorrhage in, anticoagulation for, 270
  cerebral mycotic aneurysms in, surgical treatment of, using stereo-angiographic localizer, 263
  Dandy-Walker variant in, 43
  expanded cavum septi and cavum vergae in, associated with behavioral problems relieved by stereotactic procedure, 471
  gliomas in
    intraarterial carboplatin or ACNU for treatment of, 145
    malignant, intraoperative local chemotherapy with fibrin glue containing nitrosourea for, 151
  middle cerebral artery endarterectomy in, 346
  moyamoya disease in, stable xenon-CT blood flow in, 251
  sella turcica fractures in trauma series in, 28
  subarachnoid and intraventricular hemorrhage in, caused by hypernephroma metastasis, accompanied by innocent bilateral posterior communicating artery aneurysms, 275
  trigeminal neuralgia caused by cerebellopontine-angle lipoma in, 33
  What's new in pediatric neurosurgery, 371
Infarcts, cerebellar, anatomical basis for, 450
Informed consent, 495
Interest, shift of, 94-rc
Intraarterial chemotherapy, for gliomas, 145
Intracerebral hemorrhage, recurrent, clinical findings in, 444
Intracisternal echography, assessment of delayed cisternal vasospasm using, 319
Intracranial hemorrhage, associated with anticoagulant therapy, management of, 438
Intracranial indentation, traumatic basilar impression and, 31
Intracranial lesions, *See* Brain tumors
Intramedullary tuberculloma, magnetic resonance imaging of, 241
Intraoperative local chemotherapy, with fibrin glue containing nitrosourea, for gliomas, 151
Intraradicular and intradural disc hernation, lumbar, experiences with, 536
Irrigation areas, of cerebellar arteries, 450
Ischemia, focal cerebral, mannitol effect on, evaluated by somatosensory-evoked potentials and magnetic resonance imaging, 55

J
Juxtacondylar approach, to jugular foramen, without petrous bone drilling, 279

L
Leak, CSF, after acoustic neuroma surgery, 192-le
Letters to the editor, *See* Reader's comments
Lipid peroxidation, following cerebral contusion in rat, 573
Lipoma, cerebellopontine-angle, trigeminal neuralgia caused by, 33
Lucency, periventricular, on computed tomography associated with hydrocephalus, 285-rc
Lumbar spine
  disc herniation, intraradicular and intradural, 536
  disc surgery, lumbar spine, complication of epidural fat graft in, 479

M
Magnetic resonance imaging
  of cerebellopontine-angle lipoma causing trigeminal neuralgia, 33
  of cerebral infarcts following subarachnoid hemorrhage, 270
  of intramedullary tuberculoma, 241
  of mannitol effect on focal cerebral ischemia, 55
  of Rathke cleft cysts, 19
^{1}H Magnetic resonance spectroscopy, brain tumor analysis using, 137
Mannitol, effect of on ischemia, evaluated by somatosensory-evoked potentials and magnetic resonance imaging, 55
Meckel's cave, localization of adenocarcinoma in, 553
Medical savings accounts, 293-le
Melanocytoma, meningal, of left sphenoid wing, 556
Meningeal melanocytoma, intracranial, of left sphenoid wing, 556
Meningioma
  cavernous sinus, total resection of, 3
  olfactory groove, resection of, 567
  pineal region, large, successful removal of, 562
Meningoceles, rare, evaluation of endoscopy in treatment of, 308
Metanalysis, 581-rc
Metastasis, hypernephroma, subarachnoid and intraventricular hemorrhage caused by, 275
Methylprednisolone, high-dose, effect of following cerebral contusion in rat, 573
Middle cerebral artery, stenotic, endarterectomy for, 346
Migration, of bullet in spinal canal, 548
Moyamoya disease, symptomatic, evaluation of cerebral blood flow and hemodynamic reserve in using stable xenon-CT blood flow, 251
mRNA expression, chemoresistance gene, for selecting anticancer agents in adjuvant chemotherapy, for recurrent glioblastoma, 462

N
Na^{+}-K^{+}/Mg^{+2} ATPase activity, following cerebral contusion in rat, 573

Neurinoma, of trigeminal root, atypical trigeminal neuralgia and, 36
Neurosurgeons, young, advice to, 82-rc
Neurosurgery
  development of a successful neurosurgical practice, 402
  in 50 years, 510
  French-speaking society of (December 1994), 185
  functional, XIth Congress of European Society for stereotactic and functional neurosurgery on, 88
  neurosurgical call to arms, 202-le, 204-le (reply)
Nidus-unrelated arteries, autopsy report focusing on irradiation-induced changes observed in, gamma knife radiosurgery for AVMs and, 421
Nitrosourea, intraoperative chemotherapy with, for gliomas, 151
Nonresective treatment modalities, for pineoblastoma, 386

O
Obliteration, surgical, for vein of Galen malformation, 365
Occipital artery, anastomosis of, with interposition of superficial temporal artery, using occipital interhemispheric transtentorial approach, 245
Occlusion, of internal carotid artery, invasive aspergilloma of frontal base causing, 483
Ocular ischemic syndrome, in carotid artery occlusive disease, ophthalmic color Doppler flow velocity and electroretinographic changes following carotid artery reconstruction, 534
Odontoid process, intracranial indentation of, traumatic basilar impresssion and, 31
Olfactory groove meningiomas, resection of, 567

P
Pain, donor site, associated with harvesting iliac bone grafts, technique for prevention of, 131
Parasellar *Aspergillus* granuloma, extending from sphenoid sinus, 489
Parietal region, traumatic basilar impression and, 31
Patterns of care, radiosurgical, 414
Pedicled flap, use of dural outer layer as, 92
Pedicle screws, intraoperative stimulation of, 544
Percutaneous transluminal angioplasty, in canine model of vasospasm, 163
Peripheral nerves, problems of, lost opportunity in treating, 294-rc
Periventricular lucency, on computed tomography associated with hydrocephalus, cause of, 285-rc
Persistent feeding arteries, to angiographically completely embolized AVM, demonstrated by intraoperative color-flow Doppler testing, 326
Petrous bone drilling, unused, in juxtacondylar approach to jugular foramen, 279
Pharmacology, percutaneous transluminal angioplasty in canine model of vasospasm and, 163
Pineal region meningiomas, large, successful removal of, 562
Pineoblastoma, nonresective treatment of, 386
Pituitary
  adenoma
    men with, hot flushes in, 14
    Rathke cleft cysts and, 19
  tumors, acromegaly and, 83
Polyvinyl alcohol embolization, of cerebral arteriovenous malformations, 108
Posterior cerebral artery, anastomosis of occipital artery to, using occipital interhemispheric transtentorial approach, 245
Practice development, neurosurgical, 402
"Preplacement," of back of halo vest, in cervical traction for cervical spine injuries, 476
Primary craniosynostosis, cerebral hemodynamics in, transcranial Doppler analysis of, 334
Primary intraventricular hemorrhage, in adults, clinical features, risk factors, and outcome, 433
Prognostic factors
  for calvarial flap, 181
  for low-grade astrocytomas, 224
  for low-grade supratentorial astrocytomas, 208

R
Radiosurgery
  gamma knife, for AVMs, autopsy report focusing on irradiation-induced changes observed in nidus-unrelated arteries, 421
  patterns of practice, 414
Rat, cerebral contusion in, effects of, 573
Rathke cleft cysts, pathological, surgical, and MR spectrum of, 19
Reader's comments, 80, 82, 94, 192, 202, 204, 293, 294, 409
Recanalization, delayed, of AVMs, following angiographic obliteration with polyvinyl alcohol embolization, 108
Resident's corner
  Advice to young neurosurgeons, 82, 589
  Disseminated intravascular coagulation, 184
  Editor's note, 80
  Neurosurgical management of the frontal sinus, 80
  Periventricular lucency on computed tomography associated with hydrocephalus: what is the cause?, 285
  What is metanalysis?, 581
  Withdrawal of glucocorticoid therapy in neurosurgical patients, 498
Retirement, of shift of interest, 94-rc
Revascularization, in moyamoya disease, 251
Rhizotomy, for trigeminal neuralgia caused by a cerebellopontine-angle lipoma, 33
Root, trigeminal, neurinoma of, atypical trigeminal neuralgia and, 36

S
Sella turcica
  fractures, in trauma series, 28
  Rathke cleft cysts and, 19
Siblings, Dandy-Walker variant in, adult-onset presentation of, 43
Sinuses
  frontal, neurosurgical management of, 80-rc
  sphenoid, parasellar *Aspergillus* granuloma extending from, 489
  venous occlusion, in cats, changes in cerebrocortical capillary network following, 172

Skull, fracture, sella turcica, 28
Somatosensory-evoked potentials, mannitol effect on focal cerebral ischemia evaluated by, 55
Sphenoid sinus, parasellar *Aspergillus* granuloma extending from, 489
Spinal canal, migration of bullet in, 548
Spinal subarachnoid hematoma, spontaneous, 133
Spinal trigeminal nucleus, in cervical central cord syndrome, 236
Spine
  cervical, injuries, "preplacement" of back of halo vest in cervical traction for, 476
  familial syringomyelia and, 48
  intramedullary tuberculous granulomas, excision of, 241
  lumbar, disc surgery, complication of epidural fat graft in, 479
  problems, lost opportunity in treating, 294-rc
Stereo-angiographic localizer, surgical treatment of cerebral mycotic aneurysm using, 263
Stereotactic craniotomy, CT localized, for excision of bacterial intracranial aneurysm, 265
Stereotactic procedure, behavioral problems relieved by, expanded cavum septum pellucidi and cavum vergae associated with, 471
Stereotaxy, XIth Congress of European Society for stereotactic and functional neurosurgery on, 88
Subarachnoid hematoma, spontaneous spinal, 133
Subarachnoid hemorrhage
  aneurysmal, management of, 522, 528
  anticoagulation for prevention of cerebral infarcts following, 270
  cisternal, spontaneous diminution of, 356
  and intraventricular hemorrhage, caused by hypernephroma metastasis, accompanied by innocent bilateral posterior communicating artery aneurysms, 275
Subdural hematoma, acute, 409-le
Subgaleal preservation, of calvarial flaps, 181
Surgery, *See also* specific procedure
  ACoA aneurysm, A3-A3 anastomosis in, 122
  acoustic neuroma
    CSF leak after, 192-le
    facial nerve outcome after, 95-rc
  bridging vein injury during, 158
  for central nervous system tuberculosis, 378
Syringomyelia, familial, *See* Familial syringomyelia

T

T10 level, spinal canal, bullet migration and, 548
^{99M}-Tc-HMPAO labeled leukocyte SPECT, in intracranial lesions, 338
Thrombosis, intravenous, prevention of in bridging vein injury, 158
Total resection, of meningiomas involving cavernous sinus, 3
Transcranial Doppler analysis, of cerebral hemodynamics in primary craniosynostosis, 334
Trauma series, sella turcica fractures in, 28
Trigeminal neuralgia
  atypical, neurinoma of trigeminal root and, 36
  caused by cerebellopontine-angle lipoma, 33
Trigeminal root, neurinoma of, atypical trigeminal neuralgia and, 36
Tuberculosis, central nervous system, medical management and surgical indications, 378
Tumors, *See* specific body area; specific type of tumor, 298

U

Ultrastructural findings, following cerebral contusion in rat, 573
Uni-multivariate statistical analysis, of prognostic factors in low-grade supratentorial astrocytomas, 208

V

Valsalva maneuver, myelopathy associated with, 228
Vascular disease, lost opportunity in treating, 294-rc
Vasospasm, cerebral, *See* Cerebral vasospasm
Vein of Galen malformation, surgical obliteration for, 365
Venous collateral flow, preservation of in bridging vein injury, 158
Venous sinus occlusion, in cats, changes in cerebrocortical capillary network following, 172
Verification, of pedicle screw placement, new method for, 544
Vertebral artery, atlantal part of, microsurgical anatomy of, 392
Virtual medicine, step toward, holographic imaging of human brain preparations, 428

X

X-ray, of traumatic basilar impression, 31

Z

Zimmerman, Harry M., tribute to, 405

br = book review; ed = editorial; en = editor's note; le = letter or reader's comment; com = commentary; cd = case description; rc = resident's corner.